
# MARKSMAN TM 1600HSI







# MARKSMAN™1600HSI

Cans

Continuing its legacy of being one of the most efficient, high-speed can wrap machine available, the new Marksman™ 1600HSi machine now runs multiple diameter cans and larger pack sizes, including 10-pack and 12pack.

# Machine Features **Standard**

- GPI standard lock
- Dual venturi vacuum generators
- 9 ft (3m) 5000 carton powered magazine
- Market proven segment wheel feeder with optimized geometry

#### Frame

Heavy duty welded tubular painted steel frame with corrosion resistant components

#### Guards

· With full height, clear visibility, sliding guard doors providing easy walk-in access to the machine

#### Optional

- · Powered magazine with capacity for 10,000 cartons
- Lock inspection w/wo pack reject
- Dust Collection

### **Specifications**

**Standard Machine Elevation** 

41-3/8" +/-2" (1050mm +/-50mm)

#### Machine Weight

Approx. 10,500lbs (4,800 kg)

#### **Air Requirements**

80psi - 16.4 CFM (6 bar - 28 m3/h)

#### **Electrical**

400/460 VAC 50/60 Hz

#### **Main Drive Motors**

Servo Drive

### **Ancillary Equipment**

Turner / Divider / Reject units

#### Changeover

No-tool changeovers are quick, simple and repeatable

30 minutes (format change) 45 minutes (product and format change)

# **Primary Container Size Ranges** 2-piece beverage cans only

#### Standard:

Single diameter, multiple heights


Up to 4 different diameters\*

Diameter: 2.09" (53mm) to 2.6" (66mm) Height: 3.11" (79mm) to 7.44" (189mm)

#### **Pack Formats**

Standard: 2x2, 2x3, 2x4 Optional: 2x5, 2x6, 1x2, 1x3, 1x4, 1x5, 1x6

#### MM1600HSi



# **Pack Styles**

Standard: Top and bottom gussets for dual lane packs

Optional: Straight wraps with wrap heel and crown apertures for either dual or single lane packs

## **Speed / Pitches**

Operates at speeds up to:

<u> Pitch</u>	Line	Surge
2x2	400ppm	450ppm
2x3	350ppm	400ppm
2x4	250ppm	300ppm
2x5	200ppm	240ppm
2x6	166ppm	200ppm
1x packs - Same ppm as 2x packs		

## **Machine Footprint**

